## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	53682	(database or memory or regidter) same (open\$3 or initiat\$3 or launch\$3 or set up or perferm \$3) same (file or data or application or software or program) same (identif\$4 or establish\$3 or defin \$3 or recogni\$5 or link\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 09:18
S2	1331	similar\$3 or correspond\$3 or compar\$3 or equat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 09:23
S3	29	S1 same S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 10:58
S4	391	(maintening or establish\$3) same (database or data or file or applica\$3 or program) same secur \$3 same (hash\$3 or disgest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:50
S5	97211	(prevent\$3 or refus \$3 or den\$3) same (data or data base or file or program) same (allow\$3 or grant\$3 or gain\$3 or match\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:07

S6	9	S4 same S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:24
S7	680	(maintening or establish\$3) same secur\$3 same (hash \$3 or disgest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:50
S8	0	S7 same S5 not S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 11:51
S9	9	S7 same S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 12:58
S10	4630	(prevent\$3 or restrict \$3) same (executable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 12:59
S11	330	(prevent\$3 or restrict \$3) same (executable) same (open\$3 or initiat\$3 or launch\$3) same (file or program or software or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 14:29
S12	7071	maintain\$3 same secur\$3 same database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:00
S13	22660	(compar\$3 or match \$3 or equal\$3) same (hash\$3 or digest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:02

S14	33	S12 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:11
S15	0	S11 same S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:02
S16	3806	707/9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:12
S17	12	S11 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 13:12
S18	8	(prevent\$3 or restrict \$3) same (executable) same (open\$3 or initiat\$3 or launch\$3) same (file or program or software or data) same (hash\$3 or digest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:12
S19	32	(GASSOWAY near Paul).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:26
S20	23	S19 and (database or software or preventing or allowing or hash or openi\$3 or compar\$3 or executable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:52
S21	229231	(number or date stamp) SAME (open \$3 or launch\$3 or execut\$3) same (database or file or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:56

<b>S</b> 22	192897	"726"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:56
S23	6312	S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:56
S24	36	S22 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 15:56
S25	88	US-5649095-\$.DID. OR US-5742845-\$. DID. OR US- 20040073810-\$.DID. OR US-5809138-\$. DID. OR US-5987611- \$.DID. OR US-6944772-\$.DID. OR US-7080000-\$.DID. OR US-20030177394- \$.DID. OR US- 20040039921-\$.DID. OR US-20040225877- \$.DID. OR US- 20050240769-\$.DID. OR US-20060230454- \$.DID. OR US- 5470233-\$.DID. OR US-6058390-\$.DID. OR US-6170065-\$. DID. OR US- 20070067275-\$.DID. OR US-5958051-\$. DID. OR US- 6173402-\$.DID. OR US-6301660-\$.DID. OR US-6301660-\$.DID. OR US-20020169998- \$.DID. OR US- 5937406-\$.DID. OR US-5937406-\$.DID. OR US-5835953-\$.DID. OR US-6073222-\$. DID. OR US-6085298- \$.DID. OR US-6085298- \$.DID. OR US-5537533-\$.DID. OR	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2007/08/13

<b>S</b> 30	12	"2003163510".pn. or "2002174359".pn. or "2003217352".pn. or "2004039921".pn.	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:32
S31	0	(database or data or file or appicat\$3 or executable) near (known or familiar or approv\$3 or predetermin\$3 or predefin\$) same list with (database or data or file or appicat \$3 or executable) near (unfamiliar or unkown or disapprov \$3) same list	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:35
S32	21627	(database or data or file or appicat\$3 or executable) same (known or familiar or approv\$3 or predetermin\$3 or predefin\$) same list	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:36
S33	5	(database or data or file or appicat\$3 or executable)near (unfamiliar or unkown or disapprov \$3) same list	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:41
S34	1535	(database or data or file or appicat\$3 or executable) near (known or familiar or approv\$3 or predetermin\$3 or predefin\$) same list	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:36
\$35	0	S33 same S34	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:36
<b>S36</b>	69461	(mov\$3 or transfer\$3 or forward\$3) same (file or data or executable or application) same (determin\$3 or compar\$3) same (database or memory or register)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:48

S37	30714	database same (time stamp or time or date or period or dur \$3 or amount near time or number near time) same (access \$3 or open\$3 or execut\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:51
S38	1040	S36 same S37	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:51
<b>S</b> 39	317	726/2 or 726/22-33	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:52
S40	315	726/2	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:52
S41	2	726/22-33	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:53
S42	868	726/22 or 726/23 or 726/27 or 726/28 or 726/29 or 726/30 or 726/29 or 726/31 or 726/32 or 726/33	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:55
S43	8	S38 and (S42 or S39)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 11:22
S44	2052	(first or second or third) near database same (compar\$3 or forward\$3 or determin\$3)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 11:21
S45	7	S44 and (S42 or S39)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 11:22

S46	78339	(number near time or date stamp or date or period) same (compar\$3 or determin\$3) same (open\$3 or execut\$3 or initiat\$3 or request \$3 or launch\$3) same (file or data or applicat\$3 or executa \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 14:18
S47	868	726/22 or 726/23 or 726/27 or 726/28 or 726/29 or 726/30 or 726/29 or 726/31 or 726/32 or 726/33	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 14:20
S48	58	S46 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 14:20
S49	8	"6694434".pn. or "6944772".pn. or "7140042".pn. or "6760752".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 08:42
S50	2	"2003163510".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 09:29
S51	1	(forward\$3 or mov\$3 or send\$3) WITH (unfamiliar or unknown or foreing \$3 or strang\$3 or unidentif\$4 or undefin \$3) near4 (file or software or code or executable or data) near4 database same (familiar or known)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 10:49

S52	5	or send\$3 or transfer \$3 or transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/02/04 10:52
S53	11	\$3 or strang\$3 or unidentif\$4 or undefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 11:00
S54	275		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 11:07

<b>S</b> 555	14	(forward\$3 or mov\$3 or send\$3 or transfer \$3 or transmit\$4) with (virus or signature) near4 (familiar or known or good) same (virus or signature) near4 (unfamiliar or unknown or bad)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 11:27
S56	13	updat\$3 with virus near4 (signature or definit\$3) with (predetermin\$3 or predefin\$3 or threshold or baseline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 11:35
S57	1	(compar\$3 or determin\$3 or match \$3 or check\$3) with (known or familiar) near4 (virus or trojan or worn) same (unfamiliar or unknown) near4 (virus\$3 or trojan or worn) same (updat \$3 or add\$3 or mov \$3 or transfer43 or send\$3) same (predetermin\$3 or predefin\$3 or threshold or baseline) near7 (value or time orperiod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/02/04 12:05
S58	34	(compar\$3 or determin\$3 or match \$3 or check\$3) with (known or familiar) same(virus or trojan or worn) same (unfamiliar or unknown) same (virus\$3 or trojan or worn) same (updat \$3 or add\$3 or mov \$3 or transfer43 or send\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 12:08

S59	4	"5440723".pn. or "7188369".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:07
S60	0	7171/168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:12
S61	1473	717/168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:12
S62	2	S61 and virus\$2 signature same (updat43 or upgrad \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:13
S63	2	"5440723".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:29
S64	1346	(virus\$2 or trojan or worn) with (length near2 time or period or durat\$3 or time) and (open\$3 or access\$3 and execut \$3) near4 time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 08:58
<b>S</b> 65	200	(virus\$2 or trojan or worn) with ((length near2 time or period or durat\$3 or time) and (open\$3 or access\$3 and execut \$3) near4 time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 08:59
S66	34	(virus\$2) with ((length near2 time or period or durat\$3 or time) and (open\$3 or access\$3 and execut\$3) near4 time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:00

 $3/\,16/\,2009\,3:15:58$  PM C:\ Documents and Settings\ ftraore\ My Documents\ EAST\ Workspaces \ 10830127\_Securedatabase.wsp